

TABLE OF CONTENT

	Table of Content	2
$ \hat{T} $	Center Pole Umbrella Prostor P8 - Innovation Award	3-6
	Side Pole Umbrella Prostor P6 - Prostor P7	7-24
 	Center Pole Umbrella Prostor P50	25-26
	Telescopic Arm Umbrella Prostor P3 - Prostor P4	27-30
	Windscreen Prostor Windblocker	31-33
	Gallery Hospitality & Projects Private Specials	34-35 36-37 38
	The Company	39






Specifications

User friendliness in large dimension

SQR



Finishing

Pole and frame

The pole and frame are 100% Powder coated aluminium with a textured finishing. This makes them even more scratch-resistant and maintenancefriendly.


The textured coating of the umbrella also offers an unique look. Available in grey (RAL 9007).



RAL 9007 Grey texture finishing

Steel base With 8 tiles: 130 kg With 12 tiles: 185 kg Does not include tiles

Fixation




Steel base With 4 tiles:: 115 kg With 8 tiles: 215 kg Does not include tiles



LED is integrated in spoke.

Accessories



Easy operation











During the design of the P8 the usability was very important. The P8 is very light to handle because of a gliding movement. Even the table and chairs can remain during opening and closing the P8 umbrella.



Floor plate must be chemical anchored. Weight: 38 kg Fixing materials not included



Adjustable ground anchor Recommended to align multiple sets, it gives you up to 15° tolerance to the left and right.



Stylish cover for steel base.



Several umbrellas can easily be connected.

Durable and protective

UV 95%

UV 100%

Taupe

















Black

Widow



from UV



Other colors available for large projects.

Colour retention

5 JAAR

Dickson Acryl: 100% solution-dyed

Weight: 290 g/m²

Colourfastness: 7-8/8 (Standard ISO 105 BO4)

Waterproof: >300 mm water column

Maintenance: all fabrics can be washed and replaced

UV filter - enjoy the sun safely



> The Skin Cancer foundation recommends Dickson Acrylic as a part of your complete sun protection regime, including regular use of sunscreen.



> This label certifies that the fabrics do not contain any toxic substances and do not present any health, skin or environmental hazards (Oeko-Tex 100).

Maintenance & Repair kit



Prostor CLEAN

- > powerful stain remover
- > cleans intensely
- > removes stains and odours from the umbrella fabric

Prostor GUARD

- > protects against stains and pollution
- > colourless
- > restores water-repellent effect on the umbrella fabric



The Prostor Repair kit is a unique transparent repair patch for repairing tears and holes in acrylic and polyester fabrics. It is extremely strong and very elastic. The Repair kit is a permanent solution for your umbrella fabric, allowing you to enjoy your umbrella even longer.

- > Extremely strong
- > Watertight
- > Airtight
- > Very elastic
- > Does not fade
- > Does not dry out



Product video


Curious for more? Scan the QR code to view the product video on your smartphone or go to www.prostor.be.























Make your place in the shade according to your needs and desires

SQR












RND




SQR XL






RND XL




Fixation

Ground anchor or wall bracket, choose the fixation depending on your garden or patio

GROUND




Steel base With 8 tiles: 130 kg With 12 tiles: 185 kg Not suitable for the XL version Does not include tiles




Steel base With 4 tiles: 115 kg With 8 tiles: 215 kg Does not include tiles




Stylish cover for steel base.



Floor plate must be chemical anchored. Weight: 38 kg Fixing materials not included




Floor plate must be chemical anchored. Weight: 30 kg Fixing materials not included



Adjustable ground anchor. Recommended to align multiple sets of P6, it gives you up to 15° tolerance to the left and right.

WALL



Easy to install wall brackets, delivered per 2 pieces. Only for square P6 Uno or P6 Duo. In non-painted galvanized steel. More info: see p. 18



video on your smartphone or go to www.prostor.be.

Product video

Curious for more? Scan the QR code to view the product





Specifications


Choose an umbrella which suits best to the size of your garden or patio

Choose an unibrena which suits best to the size of your garden or pa

SQR RND
Uno
3.50 m
Uno

SQR XL Uno 4.20 m Uno

The P7 rotates 300° to provide shade at each time of day



The integrated rotating element allows you to benefit from the shade at each time of day.

*The small axle locks the umbrella into place and prevents it from spinning with the wind.

Product video

Curious for more? Scan the QR code to view the product video on your smartphone or go to www.prostor.be.







Fixation

Ground or wall fixation, according to your preference

GROUND




Steel base
With 8 tiles: 130 kg
With 12 tiles: 185 kg
Not suitable for the XL version
Does not include tiles





Stylish cover for steel base.




Steel base With 4 tiles: 115 kg With 8 tiles: 215 kg Does not include tiles



Ground anchor to secure into concrete, made from stainless steel and aluminium.

WALL





More info: see p. 18




Fixed wall bracket

The P6 pole can be mounted on the wall easily with 2 brackets. This allows for sun protection without having the pole or steel base sit in the way. Not possible for the Round (RND) version.

SQR



SQR XL





Rotating wall bracket

The P7 pole can also be fitted to the wall with two "rotating" brackets. By following the sun you can choose where you want shade easily, whatever the time of day. The P7 wall umbrella is designed to turn optimally when mounted on a corner.

A small axle locks the umbrella into place and prevents it from spinning with the wind.

RND SQR 2.50 m Uno Uno

SQR XL RND XL





Easy operation













- > No matter how strong and robust these umbrellas are, you don't have to be strong to operate them. The patented **One Move System** helps you to open or close the umbrella easily in one single movement. No need to move the table while closing or opening the umbrellas. The umbrella opens or closes above standard tables and chairs.
- > The **newly designed gliding wagon** provides more strength and makes the operation much more easier thanks to the ergonomic rotary knob (see A).
- > The umbrellas are ultra-light to handle, thanks to the **stainless steel gas spring**, which compensates the weight of the umbrella (see B).
- The P6 umbrella consists of 1, 2, 3 or 4 umbrellas on one pole. Each umbrella can be operated separately. You choose where you want shade or sun! This makes the P6 umbrella an ideal hospitality partner. For instance the following configurations are possible:













Pole and frame

The 100% aluminium pole and frame contains 5 decorative colours according to 2 different processes: Powder coating and Anodizing.

The powder-coated profiles have a textured finishing. This makes them even more scratch-resistant and maintenance-friendly. The textured coating of the umbrella also offers an unique look. Our colour range includes grey (RAL 9007), black (RAL 9005) or white (RAL 9016).

Anodizing is the second process to provide aluminium profiles with colour. Typical for anodization is that the original structure of the aluminium is retained. The anodizing process ensures a durable, corrosion-resistant and wear-resistant oxide layer. Anodization is possible in silver colour or copper colour.



Fabric

A colourful range of choice for shedloads of shade fun



UV 95%









Cup









(;; Mold resistant



Easy care



UV 100%

Orange

Protects from UV

UV filter - enjoy the sun safely
















> Ozone layer depletion has caused a reduc-

tion in the filtering of ultraviolet rays. This,

in turn, entails that prolonged, unprotected

exposure to the sun poses increased health risks. All P6 and P7 fabrics have the capaci-







> This label certifies that the fabrics do not contain any toxic substances and do not present any health, skin or environmental hazards (Oeko-Tex 100).









Widow

Cotta

Colour retention

Dickson Acryl: 100% solution-dyed

Weight: 290 g/m²

Colourfastness: 7-8/8 (Standard ISO 105 BO4)

Waterproof: >300 mm water column Maintenance: all fabrics can be washed and replaced







Protection, ease and maintenance




The deluxe watertight protection cover protects your umbrella from any and all weather conditions. The cover is made from grey or black solution-dyed polyester fabric.



The canopy can be printed with text and/or logo.



Connecting several umbrellas is easy by using rain gutters with zippers.



Move your umbrella effortlessly thanks to caster wheels with brakes. Only for the P6 or P7 UNO umbrellas (max. weight capacity for 4 wheels: 320 kg).



Repair kit

The Prostor Repair kit is a unique transpa-

rent repair patch for repairing tears and

holes in acrylic and polyester fabrics. It is ex-

tremely strong and very elastic. The Repair kit is a permanent solution for your umbrella fabric, allowing you to enjoy your umbrella

even longer.

> Watertight> Airtight> Very elastic> Does not fade> Does not dry out

> Extremely strong

BEFORE

Prostor CLEAN removes stains and odours from the umbrella fabric Prostor GUARD protects against stains and pollution and is water-repellent



The translucent screen offers protection against Covid-19 and your terrace surface is used in an optimal way.

Accessories

LED lighting

When the sun goes down and dusk sets in, Power-LED lighting adds a new, intimately cozy dimension to your umbrella, allowing you to stay put and enjoy the day that little bit longer. The LEDs are installed at the center of the umbrella, with all wiring and steering hidden neatly in the frame and pole.





The new 24V LEDs are fully integrated in the umbrella and can, from now on, also be completely dimmed.



Our new RGB LED 24V allows you to create a specific atmosphere on your terrace. With the supplied remote control you can choose the desired color. The RGB LED is also dimmable.



External battery to enjoy the LED lighting without connecting to a 220V network. 8 to 12 hours autonomy, depending on the setup. Not for RGB.

Accessories

Heating



IP X5: completely protected against rain and waterspray. Up to 4 heaters can be mounted on one pole.



The heater doesn't have to be removed when closing the umbrella. The heating never comes into contact with the fabric.




Single or double sockets can be mounted onto the pole.



Specifications, fixation and accessories


DIMENSIONS



COLOURS

See page 30

FIXATION



Floor plate warm galvanised, 18 kg Fixing materials not included



Aluminium base coated aluminium cover to fill up with sand: 25 kg.



Comes with a polyester protection cover for durable use of your umbrella as standard.






Curious for more? Scan the QR code to view the product video on your smartphone or go to www.prostor.be.






DIMENSIONS



FIXATION / WALL BRACKET




Product video





Curious for more? Scan the QR code to view the product video on your smartphone or go to www.prostor.be.



User-friendly and easy operation

P3 STRONG AND REMOVABLE!

- Can be easily removed from the wall bracket
- Can be locked in horizontal or vertical position
- Ideal for professional use (hotel, pub, restaurant,...)
- Weight of the arm: 4 kg

STEP 1 Bring the arm horizontal (90°)

STEP 2 Unfold the umbrella

STEP 3 Open the umbrella







P4 - EXTRA STEP TO IMPROVE YOUR COMFORT!

- User-friendly
- Can be locked in horizontal or vertical position or even at a 45° angle
- Standard with integrated gas spring to compensate the weight
- Weight of the arm: 4.75 kg


STEP 1 Bring the arm to the 45° position

STEP 2 Unfold the umbrella

STEP 3 Bring the arm to the 90° position

STEP 4 Open the umbrella









Prostor P3

Add colour to your place in the shade

UV 97%



resistant





UV 97%









resistant







from UV





Colour

retention

100% Olefin 'COSLAN': solution-dyed

& Stain proof

Weight: 190 g/m2 Colourfastness: 7-8/8 Waterproof

UPF 40+: filters more than 97% of the UV rays Maintenance: all fabrics can be washed and replaced.

Arm and frame have a stylish finishing in anodised aluminium.











Protection cover

Protection cover for 1 umbrella, allowing you to enjoy it even longer.












DIMENSIONS



A: Box height Custom-made

> Acrylic fabric: 1.27m - 2.00m > Soltis fabric: 1.27m - 1.86m

A': Fabric height Fabric height (A) - 7cm

B: Projection 2m, 3m or 4m

COLOURS

FABRIC

> Dickson Acrylic: solution-dyed

Colours: see p. 15 or request other colours.

Weight: 295 g/m²

Colourfastness: 7-8/8 (ISO 105B02 - ISO 105B04)

Waterproof: >350 mm water column

All acrylic fabrics have a horizontal seam down the middle to provide extra reinforcement to your windbreak

> Soltis 86: screen fabric Colours: by request. Weight: 380 g/m²

The Soltis fabric has no horizontal seam.

PROFILES

Standard colour: all profiles are 100% aluminium, in solid white texture coating (RAL 9016). Other RAL colours available at extra cost.





Fixation and characteristics

_

GROUND



The elegant box is easily hooked up with the two supplied hooks. Can be taken off in one movement (theft prevention).



Ground anchor provides extra anchoring.




Fixing the fabric
The floorplate with pole is chemically anchored into the ground...



WALL

.. or 2 wall brackets hold the fabric.



Support wheel
Improved ease of use for manual
operation thanks to guiding support
wheel.



Locking
Locking the Windblocker guarantees
carefree enjoyment by preventing the
fabric from unrolling when the wind is
variable.

Get inspired by our realizations











Get inspired by our realizations













Get inspired by our realizations











The Company

Embrace the sun with our smart solutions for your patio



There is nothing more glorious than enjoying that good old sun on a radiant day. Or looking for shelter and refreshment in the shade when the sun starts shining too brightly. It's the perfect spot for reading a book, blissfully watching your kids playing or enjoying a tasty aperitif or a wonderful meal... Prostor takes pride in making that little place in the shade as stylish and functional as possible.

There's always a solution to suit your needs

As an expert in the development and sales of innovative sunshade systems, pergolas and windbreaks, Prostor offers a range of solutions to suit both smaller and larger patios, ensuring optimal usage of available space. Prostor products are available for private customers as well as professional projects, and cover both the middle and top segments. Always guaranteeing the same impeccable quality, naturally!

Nice to look at, easy to use

That excellence is combined with a stylish design and user-friendly functionality. So you can effortlessly enjoy your Prostor umbrella, pergola or windshield. The combination of high quality aluminium and superior quality cloth guarantee a sustainable and smart solution for your garden or patio.

Belgian quality, excellent service

The Brutsaert family - who is the driving force behind both Brustor and Prostor - has over 35 years of experience in sun protection. By constantly keeping a finger on the pulse of the latest trends and technologies, and offering excellent service to boot, we realize our ambition and daily motivation: the satisfaction of our customers. They can count on first-rate quality products made entirely in Belgium by an experienced and knowledgeable team. Our sales service runs through a dealer and distributor network with an in-depth knowledge of the market.

Follow us













Prostor bvba Lourdesstraat 84 - 8940 Geluwe - Belgium T +32 (0)56 26 56 56 - F +32 (0)56 20 01 35 info@prostor.be www.prostor.be

Prostor will not be held responsible for any printing or colour errors. Content is subject to modifications (technical and prices).

Your Prostor dealer